# Crystode<sup>®</sup> Series Silver Nanowire Conductive Film



NF-CT-45S-50

# **PRODUCT DESCRIPTION**


The Crystode<sup>®</sup> transparent conductive film is a cuttingedge nanomaterial based on Nuovo Film's proprietary technology, silver nanowire ink is deposited on transparent organic film by high-precision roll-to-roll coating method.

The Crystode® Silver Nanowire Conductive Film has the advantages of low resistivity, high transmission, superior flexibility and ease-of-downstream manufacturability.

# **PRODUCT APPLICATIONS**

- Interactive Multi-touch Display
- Flexible Touch Panel
- Digital Signage
- Self-service
- Game Machine
- PDLC Intelligent Window





### **PRODUCT PROPERTIES**

Property	Value	Unit	Test Method
Thickness	50 ± 5	μm	-
Sheet Resistance	45 ± 10	$\Omega/\Box$	Four-point probe
Transmission	≥ 90	%	Hunterlab ColorQuest XE
Haze	≤ 1.5	%	Hunterlab ColorQuest XE

## **PRODUCT STRUCTURE**

b* ≤ 1.8 - Hunterlab ColorQuest XE
------------------------------------

### **MECHANICAL TEST**

Property	Value	Unit	Test Method
Adhesion	5	В	Cross-hatch test (3M 610 tape)
Hardness	≥1	HB	JIS K5600 (Load 500g)

### **ENVIRONMENTAL TEST**

Test	Sample Structure	Test Conditions	Specification
UV Exposure	OCA	Xe light exposure × 500 hrs 1000W @400-1000nm	∆R/R₀ < 20%
High Temperature and High Humidity High Temperature Storage	Silver Nanowire	85°C / 85% RH × 500 hrs	
	Hard Coat	60°C / 90% RH × 500 hrs	
	PET substrate		
	Hard Coat		
		85°C × 500hrs	

# **FILM WIDTH**

□ 355MM	□ 406MM	□ 500MM	□ 780MM
□ 1000MM	□ 1250MM	□ 1550MM	



#### China

NO.126 Qingqiu Street, Huanpu Qingqiu Industrial Park,215026,SIP,Suzhou Jiangsu, PR China Tel: +86-512-62956568 Email: sales@nuovofilm.com Web: www.nuovofilm.com

#### North America

3401 El Camino Real Palo Alto, CA 94306 USA Tel: +1-(650)388-9637 Email: sales@nuovofilm.com